




NUANCIER

**Attention : les coloris peuvent varier selon les réglages et la luminosité de votre écran. Un doute ? Une question ?
Contactez-nous au 01 87 124 124**

BuzziSkin


BuzziFelt



SK-Anthracite 68



SK-Jeans 75



SK-StoneGrey 67




SK-LightBlue 60



SK-EcoBrown 58



SK-Mokka 74



SK-OffWhite 63



SK-Curry 61




SK-Red 59



SK-Orange 66




SK-Pink 65



SK-Lime 64



FE-LightBlue 60



FE-StoneGrey 67




FE-Jeans 75



FE-Anthracite 68



FE-Curry 61




FE-OffWhite 63




FE-Mokka 74



FE-EcoBrown 58



FE-Lime 64



FE-Pink 65




FE-Orange 66



FE-Red 59

Front



SK-Jeans 75

Back



Back



Front



FE-Mokka 74



Specifications BuzziSkin

Composition 100% Recycled P.E.T. Felt, selfadhesive backing
Weight 1.000 g/m² | 29.49 oz/yd²
Width 98 cm | 38.58”
Thickness 6,1 mm | 0.24”
Abrasion resistance >7.000 Martindale
Flammability EU: EN 13501.1:2013 Class C-s2,d0
USA: ASTM E84 Class A certified
Fastness to light USA 5
⚠ Application & Installation Restrictions see installation manual



Specifications BuzziFelt

Composition 100% Recycled P.E.T. Felt, latex backing
Weight 1.000 g/m² | 29.49 oz/yd²
Width 170 cm | 66.93”
Thickness 6 mm | 0.236”
Abrasion resistance >7.000 Martindale
Flammability EU: EN 13501.1 + A1/2009 Class B-s1,d0
USA: ASTM E84 Class A certified
Fastness to light USA 5



Maintenance BuzziSkin

Vacuum clean regularly. Don’t wash. Don’t remove the BuzziSkin from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.



Maintenance BuzziFelt

Vacuum clean regularly. Don’t wash. Don’t remove the BuzziFelt from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.





MAHORA

— CONCEPT —

Mahora Concept

21 rue Gounod
92210 Saint-Cloud
01 87 124 124

www.mahora-concept.com